FIITJEE SAMPLE PAPER

(Big Bang Edge Test / Talent Recognition Exam-2020)

for students presently in

Class 10 (Paper 2)

Time: 3 Hours (1:45 pm – 4:45 pm)

Code 1010



Maximum Marks: 246

Instructions:

Caution: Class, Paper, Code as given above MUST be correctly marked on the answer OMR sheet before attempting the paper. Wrong Class, Paper or Code will give wrong results.

- 1. You are advised to devote 20 Minutes on Section-I, 40 Minutes on Section-II, 60 Minutes on Section-III and 60 Minutes on Section-IV.
- 2. This Question paper consists of 4 sections. Marking scheme is given in table below:

Section	Subject		Question no.	Marking Scheme for each question		
Section			Question no.	correct answer	wrong answer	
	PHYSICS	(PART-A)	1 to 5	+2	-0.5	
SECTION - I	CHEMISTRY	(PART-B)	6 to 10	+2	-0.5	
	MATHEMATICS	(PART-C)	11 to 15	+2	-0.5	
	PHYSICS	(PART-A)	16 to 23	+3	-1	
SECTION - II	CHEMISTRY	(PART-B)	24 to 31	+3	-1	
	MATHEMATICS	(PART-C)	32 to 39	+3	–1	
	PHYSICS	(PART-A)	40 to 45	+3	-1	
	CHEMISTRY	(PART-B)	46 to 51	+3	-1	
SECTION - III	MATHEMATICS	(PART-C)	52 to 57	+3	–1	
SECTION - III	PHYSICS	(PART-D)	58 to 59	+3	0	
	CHEMISTRY	(PART-E)	60 to 61	+3	0	
	MATHEMATICS	(PART-F)	62 to 63	+3	0	
	PHYSICS	(PART-A)	64 to 68	+3	0	
	CHEMISTRY	(PART-B)	69 to 73	+3	0	
SECTION - IV	MATHEMATICS	(PART-C)	74 to 78	+3	0	
OLOTION - IV	PHYSICS	(PART-D)	79 to 81	+3	0	
	CHEMISTRY	(PART-E)	82 to 84	+3	0	
	MATHEMATICS	(PART-F)	85 to 87	+3	0	

- 3. Answers have to be marked on the OMR sheet. The Question Paper contains blank spaces for your rough work. No additional sheets will be provided for rough work.
- 4. Blank papers, clip boards, log tables, slide rule, calculator, cellular phones, pagers and electronic devices, in any form, are not allowed.
- 5. Before attempting paper write your OMR Answer Sheet No., Registration Number, Name and Test Centre in the space provided at the bottom of this sheet.
- 6. See method of marking of bubbles at the back of cover page for question no. 58 to 63 and 79 to 87.

Note: Please check this Question Paper contains all 87 questions in serial order. If not so, exchange for the correct Question Paper.

OMR Answer Sheet No.	:
Registration Number	÷
Name of the Candidate	÷
Test Centre	·

	58 to 63 and 79 to 87 sed questions single digit answer 0 to 9
Example 1: If answer is 6.	
Correct metho	
Concot mound	
	0 1 2 3 4 5 6 7 8 9
Example 2:	
If answer is 2.	
Correct metho	od:
	0 1 2 3 4 5 6 7 8 9
	/
4 1	
9	
*	

Recommended Time: 20 Minutes for Section - I

Section - I

PHYSICS - (PART - A)

This part contains **5 Multiple Choice Questions** number **1 to 5.** Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

	1.	A body car	n be negatively	charged by
--	----	------------	-----------------	------------

- (A) Giving excess of electrons to it
- (C) Giving some protons to it

- (B) Removing some electrons from it
- (D) Removing some neutrons from it

(A) $\frac{\mathrm{q}\mathrm{Q}}{4\pi\varepsilon_0}$

(B) $\frac{\text{qQ}}{4\pi\varepsilon_0} \frac{1}{\pi r}$

(C)
$$\frac{\text{qQ}}{4\pi\varepsilon_0} \left(\frac{1}{2\pi r} \right)$$

- (A) Intersect at the neutral point
- (B) Intersect near the poles of the magnet
- (C) Intersect on the equatorial axis of the magnet
- (D) Do not intersect at all

4. Field at the centre of a circular coil of radius r, through which a current I flows is

(A) Directly proportional to r

(B) Inversely proportional to I

(C) Directly proportional to I

- (D) Directly proportional to I²
- 5. A solar panel is made by combining a large number of
 - (A) solar cookers

(B) solar cells

(C) solar water heaters

(D) solar concentrators

(C) Na

CHEMISTRY - (PART - B)

This part contains **5 Multiple Choice Questions** number **6 to 10.** Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

6. The chemical formula of lead (II) sulphate is (A) Pb₂SO₄ (B) Pb(SO₄)₄ (C) PbSO₄ (D) $Pb_2(SO_4)_3$ 7. The electrolytic decomposition of water gives H₂ and O₂ in the ratio of (A) 1:2 by volume (B) 2:1 by volume (C) 8:1 by mass (D) 1:2 by mass 8. Acid used for manufacture of fertilizers and explosives is (A) Nitric acid (B) Sulphuric acid (C) Phosphoric acid (D) Hydrochloric acid 9. Methyl orange is (A) Red in acidic medium, yellow in basic medium (B) Yellow in acidic medium, pink in basic medium (C) Colourless in acidic medium, pink in basic medium (D) Pink in acidic medium, colourless in basic medium 10. Metals are refined by using different methods. Which of the following metals are refined by electrolytic refining? (A) Al (B) Cu

Space for Rough Work

(D) K

MATHEMATICS - (PART - C)

This part contains 5 Multiple Choice Questions number 11 to 15. Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

- The HCF of two numbers obtained in three steps of division is 7 and the first 3 quotient are 2, 4 11. and 6 respectively. The numbers are
 - (A) 189, 392

(B) 175, 392

(C) 168, 385

- (D) none of these
- If $ax^2 + 2a^2x + b^3$ is divisible by x + a then which condition must be true, [a, b > 0] (A) a + b = 0 (B) $a^2 + 2ab + b^2 = 0$ 12.

$$(A) a + b = 0$$

(A)
$$a + b = 0$$

(C) $a^2 - ab + b^2 = 0$

(D) a = b

13. In the given figure, $\angle ABC = \angle AED = 90^{\circ}$. Consider the following statement

I: ABC and AED are similar triangles


II: The four points B, C, E and D will lie on a circle. Which one is true

(A) Only I

(B) Only II

(C) Both I and II

(D) none



If secA + tanA = x then secA = 14.

$$(A) \ \frac{x^2-1}{x}$$

(C)
$$\frac{x^2 + 1}{x}$$

If $\sqrt[3]{a} + \sqrt[3]{b} + \sqrt[3]{c} = 0$ then $(a + b + c)^3 =$ 15.

(A) 27abc

(B) 3abc

(C) 9abc

(D) abc

Recommended Time: 40 Minutes for Section - II

Section - II

PHYSICS - (PART - A)

This part contains 8 Multiple Choice Questions number 16 to 23. Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

- 16. Figure shows a network of currents. The magnitude of currents is shown here. The current I will be
 - (A) 3A
 - (C) 13 A

- (B) 3A
- (D) 20 A
- 17. Find the total resistance between points A and B
 - $(A) 1 \Omega$
 - (C) 5.5 Ω

- (B) 4 Ω
- (D) 8 Ω
- 3.5 Ω

3Ω

3 A

12 A

8 A


1.5 Ω

5 A

- 18. In the circuit shown, the value of I in ampere is

 - (C) 0.4

- (B) 0.60
- (D) 1.5




- 19. A helium nucleus makes a full rolation in a circle of radius 0.8 metre in two seconds. The value of the magnetic field B at the centre of the circle will be

(B) $10^{-19} \mu_0$

(C) $2 \times 10^{-10} \mu_0$

20. Current 'I' is flowing in a conductor shaped as shown in the figure. The radius of the curved part is r and the length of straight portion is very large. The value of the magnetic field at the centre O will be




(A) $\frac{\mu_0 I}{4\pi r} \left(\frac{\pi}{2} + 1\right)$

(B) $\frac{\mu_0 I}{4\pi r} \left(\frac{\pi}{2} - 1\right)$

(C) $\frac{\mu_0 I}{4\pi r} \left(\frac{3\pi}{2} + 1 \right)$

- (D) $\frac{\mu_0 I}{4\pi r} \left(\frac{3\pi}{2} 1 \right)$
- 21. The magnetic induction at the centre O in the figure shown is



- (B) $\frac{\mu_0 i}{4} \left(\frac{1}{R_1} + \frac{1}{R_2} \right)$
- (C) $\frac{\mu_0 i}{4} \left(R_1 R_2 \right)$
- (D) $\frac{\mu_0 i}{4} \left(R_1 + R_2 \right)$



- (A) Sun
- (C) Wood

(B) Rice husk


(D) Cattle dung

23. Find the total resistance between A and B.

- (A) 3.5Ω
- (C) 1.5 Ω

(B) 2.5 Ω





CHEMISTRY - (PART - B)

This part contains **8 Multiple Choice Questions** number **24 to 31.** Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

∠¬.	 Write values of a, b and c if following chemical reaction is balanced. aMg + bO₂ → cMgO 				
	(A) $a=1$, $b=2$, $c=2$	(B) a=2, b=1, c=2			
	(C) a=2,b=2,c=2	(D) a=1,b=2.c=1			
25.	Because of the formation of which of the following passed in it?	ng, lime water turns milky when carbon dioxide is			
	(A) Calcium carbonate (C) Calcium hydroxide	(B) Calcium bicarbonate (D) Sodium carbonate			
26.	Phenolphthalein in acidic solution is (A) Colorless (C)Yellow colored	(B) Pink colored (D) Orange colored			
27.	A substance that donates a pair of electrons to to (A) Lewis acid (C) Bronsted-Lowry acid	form coordinate covalent bond is called (B) Lewis base (D) Bronsted-Lowry base			
28.	The nature of calcium phosphate present in tool (A) Basic (C) Acidic	th enamel is (B) Amphoteric (D) Neutral			
29.	An element reacts with oxygen to give a composoluble in water. The element is likely to be (A) Calcium (C) Iron	und with a high melting point. The compound is (B) Carbon (D) Silicon			
30.	Which of the following is incorrect? (A) Zinc Oxide is known as amphoteric oxide (C) Sodium is kept open in air	(B) Silicon counts among metalloids(D) Metals conduct electricity			
31.	Which metal can be displaced by copper from it (A) Silver (C) Iron	(B) Zinc (D) Aluminium			

MATHEMATICS - (PART - C)

This part contains **8 Multiple Choice Questions** number **32 to 39.** Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

32.	The bisectors of the angles of an acute angled respectively then	triangle ABC meets BC, CA and AB at X, Y and Z
	(A) BX.CY.AZ = XC.YA.ZB (C) BX.ZB.AZ = XC.YA.CY	(B) BX.AY.AZ = XC.CY.ZB (D) none of these
33.	If $0^{\circ} < x < 45^{\circ}$ and $45^{\circ} < y < 90^{\circ}$ then which on (A) sinx = siny (C) sinx > siny	e of the following must be correct (B) sinx < siny (D) sinx ≥ siny
34.	If the number 2345p60q is exactly divisible by 3 (A) 13 (C) 11	3 and 5 then maximum value of p + q is (B) 10 (D) 12
35.	apart on the ground. If AB subtends an angle the tower is	30° at each of the two places A and B, 60 meter of 60° at P(the foot of the tower) then the height of
	(A) $20\sqrt{3}$ meter	(B) 20 meter
	(C) $60\sqrt{3}$ meter	(D) 60 meter
36.	If α , β , γ are the zeros of the polynomial x^3 + 4x (A) 2 (C) 4	$(x + 1 \text{ then } (\alpha + \beta)^{-1} + (\beta + \gamma)^{-1} + (\gamma + \alpha)^{-1} = (B) 3$ (D) 5
37.	ABC is a right angled triangle at A and AD i	is perpendicular to the hypotenuse. Then $\frac{BD}{CD}$ is
	equal to $(A) \left(\frac{AB}{AC}\right)^{2}$ $(C) \frac{AB}{AC}$	(B) $\left(\frac{AB}{AD}\right)^2$ (D) $\frac{AB}{AD}$
	$(C) \overline{AC}$	$(D) \overline{AD}$
38.	If $\sec \alpha$ and $\csc \alpha$ are the roots of the equation (A) $p^2 + q^2 = 2q$ (C) $p^2 + q^2 = 2p$	on $x^2 - px + q = 0$ then (B) $p^2 - q^2 = 2q$ (D) $p^2 - q^2 = 2p$
39.		c is the same as that of the ratio of the roots of x^2 +
	qx + r then (A) $br^2 = qc^2$ (C) $q^2c^2 = b^2r^2$	(B) $cq^2 = rb^2$ (D) $bq = rc$


Recommended Time: 60 Minutes for Section – III Section – III

PHYSICS - (PART - A)

This part contains **6 Multiple Choice Questions** number **40 to 45.** Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.


- 40. If the ammeter in the given circuit reads 2A, the resistance R is:
 - (A) 1 ohm
 - (C) 3 ohm

- (B) 2 ohm
- (D) 4 ohm



- 41. The equivalent resistance of the network shown in the figure between the points A and B is
 - (A) 6Ω
 - (C) 16 Ω

- $(B) 8 \Omega$
- (D) 24 Ω




- 42. What is the equivalent resistance across the points A and B in the given circuit.
 - (A) 8 Ω

(B) 12Ω

(C) 16Ω

(D) 32 Ω




SAMPLE PAPER-BBE/TRE-2020-C-X (Paper-2)-PCM-11

- 43. A straight wire of length 0.5 m and carrying a current of 1.2 A is placed in uniform magnetic field of induction 2T. The magnetic field is perpendicular to the length of the wire. The force on the wire is
 - (A) 2.4 N

(B) 1.2 N

(C) 3.0 N

- (D) 2.0 N



(A) ILB, +ve z-axis

(B) ILB, -ve z-axis

(C) –ILB, +ve z-axis

- (D) zero
- 45. A substance cannot catch fire or burn as long as its temperature is lower than
 - (A) Critical temp

(B) Melting point

(C) Boiling point

(D) Ignition temperature


CHEMISTRY - (PART - B)

This part contains **6 Multiple Choice Questions** number **46 to 51.** Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

	``			
51.	Which among the following alloys contain mercu (A) Stainless steel (C) Solder	ury as one of its constituents? (B) Alnico (D) Zinc amalgam		
50.	When crystals of lead nitrate are heated strongly (A) Crystals immediately melt (C) White fumes appear in the tube	y in a dry test tube (B) A brown residue is left (D) A yellow residue is left		
49.	Substances that react with both acids and bases (A) Neutral (C) Amphoteric substances	s are called (B) Conjugate bases (D) Conjugate acids		
48.	Which of the following is true? (A) Colour of basic copper carbonate is green (C) Zinc is more reactive than Copper	(B) Malachite is an ore of Copper (D) All the above		
47.	When copper oxide is heated with hydrogen, confollowing is oxidising agent in this reaction? (A) Copper oxide (C) Copper	opper metal and water are formed. Which of the (B) Hydrogen (D) Water		
46.	steam? (A) FeO (C) Fe ₃ O ₄	obtained on prolonged reaction of iron with (B) Fe ₂ O ₃ (D) Fe ₂ O ₃ and Fe ₃ O		

MATHEMATICS - (PART - C)

This part contains **6 Multiple Choice Questions** number **52 to 57.** Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.



(A)2

(B) $-2\sqrt{a-1}$

(C) 0

(D) $\sqrt{(a-1)}$

53. The three degree polynomial f(x) has roots of the equation 3, - 3 and - k. Given that the coefficient of x^3 is 2 and f(x) has a remainder of 8 when divided by x + 1, the value of k is

(A) $\frac{1}{2}$

(B) $\frac{1}{4}$

(C) $\frac{1}{5}$

(D) 2

54. The number of integers 'a' $(1 \le a \le 200)$ such that a^a is a perfect square are

(A) 105

(B) 103

(C) 107

(D) 109

55. If a, b are zeros of $f(x) = x^2 + px + 1$ and c, d are the zeros of $g(x) = x^2 + qx + 1$ then the value of E = (a - c)(b - c)(a + d)(b + d) is

(A) $p^2 - q^2$

(B) $q^2 - p^2$

(C) $q^2 + p^2$

(D) none of these

56. If a flagstaff subtends equal angles at four points A, B, C and D on the horizontal plane through the foot of the flagstaff then A, B, C and D must be the vertices of

(A) square

(B) cyclic quadrilateral

(C) rectangle

(D) parallelogram

57. The value of $\left[\left(1-\frac{1}{n+1}\right)+\left(1-\frac{2}{n+1}\right)+\dots+\left(1-\frac{n}{n+1}\right)\right]$ is

(A) $\frac{11}{2}$

(B) n


(C) n + 1

(D) 2n

PHYSICS - (PART - D)

This part contains 2 Numerical Based Questions number 58 to 59. Each question has Single Digit Answer 0 to 9.

58. Find the total current in the circuit shown.



59. A current of 3A is flowing in a linear conductor having a length of 40 cm. The conductor is placed in a magnetic field of strength 500 gauss and makes an angle of 30^0 with the direction of the field. It experiences a force of magnitude $X \times 10^{-2}$ N. What is the value of X?

CHEMISTRY - (PART - E)

This part contains 2 Numerical Based Questions number 60 to 61. Each question has Single Digit Answer 0 to 9.

- 60. pH (power of Hydrogen) value of black coffee is
- 61. In general, the number of electrons in the outermost shell of a halogen non-metal atom is

MATHEMATICS - (PART - F)

This part contains 2 Numerical Based Questions number 62 to 63. Each question has Single Digit Answer 0 to 9.

- 62. If $a^{x-1} = bc$, $b^{y-1} = ac$, $c^{z-1} = ab$ such that x, y, $z \in bc$ integer then value of xy + yz + zx xyz is
- 63. In an equilateral triangle the circumradius is n times inradius then 'n' is equal to

Recommended Time: 60 Minutes for Section - IV

Section - IV

PHYSICS - (PART - A)

This part contains 5 Multiple Choice Questions number 64 to 68. Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

- 64. In a hydropower plant
 - (A) potential energy possessed by stored water is converted into electric energy
 - (B) kinetic energy possessed by stored water is converted into potential energy
 - (C) electricity is extracted from water
 - (D) water is converted into steam to produce electricity
- 65. Which is the ultimate source of energy?

(A) water

(B) sun

(C) uranium

- (D) fossil fuels
- 10,000 alpha particles per minute are passing through a straight tube of radius r. The resulting 66. electric current is approximately:

(A) 0.5×10^{-16} amp. (C) 0.5×10^{12} amp.

(B) 2×10^{12} amp. (D) 2×10^{-12} amp.

- A wire X is half the diameter and half the length of a wire Y of similar material. The ratio of 67. resistance of X to that of Y is

(A) 8:1

(B) 4:1

(C) 2:1


- (D) 1:1
- Five resistances have been connected as showing in fig. 68. The effective resistance between A & B is

(A) $\frac{14}{3}$ Ω

(B) $\frac{20}{3}\Omega$

(C) 14 Ω

(D) 21 Ω



CHEMISTRY - (PART - B)

This part contains **5 Multiple Choice Questions** number **69 to 73.** Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

69. What happens when calcium is treated with water? (i) It does not react with water (ii) It reacts violently with water (iii) It reacts less violently with water (iv) Bubbles of hydrogen gas formed stick to the surface of calcium (A) (i) and (iv) (B) (ii) and (iii) (C) (i) and (ii) (D) (iii) and (iv) 70. Blue gold is an alloy of (B) Gold and indium (A) Gold and aluminum (C) Gold and silver (D) Gold and copper 71. pH at which methyl orange shows red colour is: (A) 7(B) 14 (C) 3 (D) 9 72. When acid reacts with metal carbonate, products are (A) Salt (B) Water (C) Carbon dioxide (D) All of above Hydrolysis of water is which type of following reactions? 73. (A) Endothermic (B) Decomposition (C) Both (A) and (B) (D) Combination

MATHEMATICS - (PART - C)

This part contains **5 Multiple Choice Questions** number **74 to 78.** Each question has 4 choices (A), (B), (C) and (D), out of which **ONLY ONE** is correct.

74. If $x = a(1 + \cos\theta\cos\phi)$, $y = b(1 + \cos\theta\sin\phi)$ and $z = c(1 + \sin\theta)$ then which of the following is correct

(A)
$$\frac{x^2}{a^2} + \frac{y^2}{b^2} + \frac{z^2}{c^2} = 1$$

(B)
$$\frac{(x-a)^2}{a} + \frac{(y-b)^2}{b} + \frac{(z-c)^2}{c} = 1$$

(C)
$$x^2 + y^2 + z^2 = a^2 + b^2 + c^2$$

(D)
$$\left(\frac{x-a}{a}\right)^2 + \left(\frac{y-b}{b}\right)^2 + \left(\frac{z-c}{c}\right)^2 = 1$$

- 75. The mode of a distribution is 55 and the modal class is 45 60 and the frequency preceding the modal class is 5 and frequency after the modal class is 10. The frequency of modal class is
 - (A) 10

(B) 13

(C) 15

- (D) 12
- 76. E is a point on side CA of a equilateral triangle ABC such that BE \perp CA, then AB² + BC² + CA² is
 - (A) $2BE_{\alpha}^{2}$

(B) 3BE²

(C) 4BE²

- (D) 6BE²
- 77. If $a\cos\theta b\sin\theta = c$, then $a\sin\theta + b\cos\theta =$

(A)
$$\pm \sqrt{a^2 + b^2 + c^2}$$

(B)
$$\pm \sqrt{a^2 + b^2 - c^2}$$

(C)
$$\pm \sqrt{c^2 - a^2 - b^2}$$

- (D) $\pm \sqrt{c^2 b^2 a^2}$
- 78. If two zeroes of a cubic polynomial $ax^3 + bx^2 + cx + d$ are each equal to zero, then the third zero is
 - $(A) \frac{d}{a}$

(B) $\frac{c}{a}$


(C) $\frac{-b}{a}$

(D) $\frac{b}{9}$

PHYSICS - (PART - D)

This part contains 3 Numerical Based Questions number 79 to 81. Each question has Single Digit Answer 0 to 9.

79. In the network shown here, each resistance is of 1 Ω . The equivalent resistance between the points A and B (in ohms) is?



- 80. Two particles A and B enter a region of uniform magnetic field after being accelerated through the same potential difference. They describe circular paths of radius 4 m and 2 m respectively. They have the equal charge. Find the ratio of mass of A to the mass of B.
- 81. Two cencetric coils, each of radius $2\pi cm$ and no of turns one are placed at right angle to each other. The currents flowing in coil are 3 A and 4 A respectively. The magnetic field induction (in $\frac{Wb}{m^2}$) at the centre of coils is $B \times 10^{-5}$, B is:

CHEMISTRY - (PART - E)

This part contains 3 Numerical Based Questions number 82 to 84. Each question has Single Digit Answer 0 to 9.

- 82. Determine the oxidation number of **manganese** in the products as per given equation. $H^{+} + 2H_{2}O + 2MnO_{4}^{-} + 5SO_{2} \longrightarrow Products$ (in acidic solution)
- 83. If the H⁺ concentration is 0.000001 M, what is the pOH of the solution?
- 84. CuFeS $_X$ (copper pyrite) is an ore of copper. What is the value of 'X' here?

MATHEMATICS - (PART - F)

This part contains 3 Numerical Based Questions number 85 to 87. Each question has Single Digit Answer 0 to 9.

- 85. If $\sin\theta + \sin^2\theta + \sin^3\theta = 1$, then the value of $\cos^6\theta 4\cos^4\theta + 8\cos^2\theta$ is x. Find x
- 86. If the mean of a frequency distribution is 8.1 and $\Sigma f_i x_1 = 132 + 5k$, $\Sigma f_i = 20$ then the value of 'k' is
- 87. If the system of equation 3x + y = 1 and (2k 1)x + (k 1)y = 2k + 1 is inconsistent then find the value of 'k'.

FIITJ€€ SAMPLE PAPER - 2020

(Big Bang Edge Test / Talent Recognition Exam)

for students presently in

Class 10 (Paper 2) ANSWERS

1.	Α	2.	D	3.	D	4.	C
5.	В	6.	С	7.	В	8.	Α
9.	Α	10.	В	11.	В	12.	D
13.	С	14.	D	15.	Α	16.	D
17.	D	18.	С	19.	В	20.	С
21.	Α	22.	Α	23.	D	24.	В
25.	Α	26.	Α	27.	В	28.	Α
29.	Α	30.	С	31.	A	32.	Α
33.	В	34.	Α	35.	A	36.	С
37.	Α	38.	В	39.	В	40.	Α
41.	В	42.	Α	43.	В	44.	Α
45.	D	46.	С	47.	Α	48.	D
49.	С	50.	В	51.	D	52.	В
53.	A	54.	С	55.	В	56.	В
57.	Α	58.	1	59.	3	60.	5
61.	7	62.	0	63.	2	64.	Α
65.	В	66.	Α	67.	С	68.	Α
69.	D	70.	В	71.	С	72.	D
73	С	74.	D	75.	С	76.	С
77.	В	78.	С	79.	3	80.	4
81.	5	82.	2	83.	8	84.	2
85.	4	86.	6	87.	2		